


**NEW!****DISCOUNTS**


<b>Qty</b>	1+	10+	20+	30+	50+
<b>Disc.</b>	List	-5%	-10%	-15%	On request

Part number	Corresponding diameter D1	Price each 1 to 9
FR-M5/TOOL	M5	28,84 €
FR-M6/TOOL	M6	29,80 €
FR-M8/TOOL	M8, M8x1	31,08 €
FR-M10/TOOL	M10, M10x1,25	33,32 €
FR-M12/TOOL	M12, M12x1,25	35,99 €


### Assembly




- 1.\***  
Drill the pilot hole or rebores the old thread with a starting taper (82°-100°)



- 2.\***  
Tap the required thread using a standard tap.




- 3.**  
Screw in the thread inserts. These should finish below the top surface of the material (0.3 to 0.7mm).




- 4.**  
Insert the keys using the supplied tool, tapping gently with a hammer.

*Steps 1+2. Refer to the parts table for the dimensions.*


### Disassembly




- 1.\***  
Rebores the remaining material between the keys and threads to the depth indicated



- 2.**  
Bend the keys towards the centre until they break



- 3.**  
Remove the thread inserts using the extraction tool



- 4.**  
Mount the new thread inserts in the original threads

*\* Steps 1. Refer to the parts table for the dimensions*

## Altri prodotti...



CLG1  
Ingranaggio dritto in  
plastica stampata ,  
Nylon stampato



MHX  
Manicotto esagonale  
maschiato, Esagonale  
- acciaio



GE\_C  
Snodo sferico, Cromo  
duro/PTFE




BAG-MI  
Anello di serraggio  
con intaglio e  
maniglia a leva,  
Acciaio



GLB  
Piccolo volano a 6  
alette, Tecnopolimero  
- Inox



KB\_OP  
Manicotto a sfere di  
precisione, Di  
precisione - acciaio



B  
Ingranaggio conico -  
Acciaio 60C40, 1:1



PAS  
Maniglia a ponte,  
Reinforced PA  
thermoplastic



PTCR  
Piede regolabile,  
square tube



CHAE4080PA  
Cerniera ad avvitare  
estetica simmetrica,  
Inossidabile



GLT3E-58  
Guide telescopiche  
acciaio, Estensione




AZY\_SS  
Antivibrante elastico  
cilindrico inox, Inox

## Prodotti correlati



FR  
Inserti filettati, Acciaio



FRss  
Inserti filettati, Inox