

Reducing sleeve for OP indicators


Stock

OP
OPF

Nylon

Assembly

- Reducing sleeve for use with digital position indicators
- Use a split reducing sleeve when using a OP-FL locking clamp
- Material: Nylon



DISCOUNTS

Qty.	1+	5+	10+	15+	25+
Disc.	List	-6%	-12%	-20%	On request

Part number	Bore ØA	ØD	L	Stock*	Price each 1 to 4
For indicator OP3					
OP3-14-06	6	14	12	✓	5.99 €
OP3-14-08	8	14	12	✓	3.59 €
OP3-14-10	8	14	12	✓	3.59 €
OP3-14-12	12	14	12	✓	3.59 €
For indicator OP6					
OP6-20-10	10	20	12	-	6.96 €
OP6-20-12	12	20	12	✓	6.96 €
OP6-20-14	14	20	12	✓	4.02 €
OP6-20-16	16	20	12	✓	4.02 €
OP6-20-17	17	20	12	-	4.02 €
OP6-20-18	18	20	12	-	4.02 €
For indicator OP9					
OP9-30-20	20	30	16	-	On request
OP9-30-25	25	30	16	-	4.80 €

*Depending on availability

Altri prodotti...



SCR

Accessori per ventosa,
Inserto per ventosa -
Vite cava



PGMT

Maniglia a ponte,
Acciaio




SRG

Chiusura a leva
regolabile, Corsa da
96mm a 121,7mm



TBV

Tavola di
posizionamento
verticale manuale,
12kg



RPPM

Cinghia aperta al
metro tipo RPP, RPP5
Poliuretano armatura
in acciaio



EZY

Piedino antivibrante
cilindrico, Acciaio



ERC

Terminale rapido per
cavi, A occhio



PENC

Maniglia da incasso,
montaggio a scatto



PRF_SDD

Supporto per sensore
Ø12, Ø12



PAT123

Piede snodato con
base lamiera Ø123, Ø123



TFR

Tenditore rigido, Fisso



ADL_F

Anello di
sollevamento, Acciaio

Prodotti correlati



OP3

Indicatore di posizione
digitale (N. di giri), 4
cifre



OPFL_OP3

Accessorio per
indicatori, Flangia
blocco albero