

# PERIFLEX® elastic coupling

## PNA

## Replacement tyre

### - Tyre for PERIFLEX® coupling

- Replace the tyre without dismantling the machine
- Material natural rubber Tyre R (NR) equipped with disposed material in R
- Quality tyre X(1) with inserts mounted in X pattern



### Assembly

- The elastic coupling is delivered pre-assembled. To mount the coupling, remove the tyre and place the hubs and locking assemblies on their respective shafts. Bring the two assemblies together respecting the distance "O" and aligning the two hubs with a straight edge or template.
- Place the tyre between the two hubs ensuring there is minimum radial backlash (2-15mm depending on the size of the coupling). Then bring the two locking assemblies together, tightening pairs of diametrically opposite screws to the prescribed torque. As the rubber may decompress with time, re-check the torque after a few hours.

**SAVE MONEY !**  
Only change the tyre


### DISCOUNTS

Qty.	1+	5+	10+
Disc.	List	-3%	On request

Part number spare tyre	for PERIFLEX® coupling part number	Type of tyre	Stock*	Price each 1 to 4
203R	PNA2-203	R	✓	86,27 €
206R	PNA6-206	R	✓	105,43 €
210R	PNA16-210	R	✓	159,10 €
214R	PNA40-214	R	✓	247,29 €
218R	PNA63-218	R	✓	256,88 €
414X	PNA40-214	X	-	249,22 €
418X	PNA63-218	X	-	274,13 €

\*Depending on availability - Dimensions in mm


## Altri prodotti...



RPP8  
Cinghia di trasmissione RPP, RPP8



RDERSS  
Tenditore, a serraggio manuale inox



VKM  
Dado quadrato in acciaio, Acciaio - 1 filetto



HTD5M\_09  
Puleggia dentata di trasmissione tipo HTD, HTD5 Alluminio



BPHF  
Sfera portante a incastro con flangia, Forte



NPTF30  
Morsetto di collegamento, Distanziale Ø14 a Ø20



DH  
Spina cilindrica, standard DIN 6325



KB\_UU  
Manicotto a sfere di precisione, Di precisione - acciaio



ATZYSS  
Antivibrante elastico inox sgolato, Inox



PSG125  
Ingranaggio dritto di precisione, Acciaio 20NCD2 cementato temprato



SER69K  
Chiusura 1/4 di giro per agroalimentare, Inox



MFBC  
Giunto a soffietto, Alluminio e bronzo - con ganascia di serraggio

## Prodotti correlati



PNA  
Giunto elastico PERIFLEX®, Giunto completo