
3 lobed handle

VTLM — Black polyamide with steel insert


Improved tightening

- ***Operating element***
- *Materials:*
  Black polyamide, matt surface finish
  Chromed steel thread



Advantages

- *Highly resistant, increased tightening force*
- *Suitable for all hand sizes*



DISCOUNTS

Qty	1+	10+	20+	50+	100+	200+
Disc.	List	-5%	-10%	-15%	-20%	On request

Part number	ØD	ØA	ØB	C	F	L	Weight (g)	Stock*	Price each 1 to 9
VTLM6-15-45	M6	45	18	27	16	15	15,4	✔	2,16 €
VTLM6-20-45	M6	45	18	27	16	20	16,4	✔	2,16 €
VTLM6-25-45	M6	45	18	27	16	25	17,0	-	2,25 €
VTLM6-30-45	M6	45	18	27	16	30	17,4	-	2,25 €
VTLM6-40-45	M6	45	18	27	16	40	20,0	✔	2,25 €
VTLM8-15-45	M8	45	18	27	16	15	19,0	-	2,25 €
VTLM8-20-45	M8	45	18	27	16	20	20,2	-	2,42 €
VTLM8-30-45	M8	45	18	27	16	30	23,6	✔	2,42 €
VTLM8-40-45	M8	45	18	27	16	40	27,0	-	2,46 €
VTLM10-20-45	M10	45	18	27	16	20	30,0	-	2,49 €
VTLM10-30-45	M10	45	18	27	16	30	35,0	-	2,62 €
VTLM6-20-55	M6	55	20	33	19	20	22,8	-	2,46 €
VTLM6-25-55	M6	55	20	33	19	25	23,6	-	2,54 €
VTLM6-40-55	M6	55	20	33	19	40	26,8	-	2,54 €
VTLM8-20-55	M8	55	20	33	19	20	27,2	-	2,54 €
VTLM8-30-55	M8	55	20	33	19	30	30,0	✔	2,54 €
VTLM8-40-55	M8	55	20	33	19	40	33,4	✔	2,62 €
VTLM10-15-55	M10	55	20	33	19	15	32,0	-	2,80 €
VTLM10-20-55	M10	55	20	33	19	20	36,4	-	2,80 €
VTLM10-30-55	M10	55	20	33	19	30	42,0	-	2,87 €

**Depending on availability - Dimensions in mm*

3 lobed handle

Black polyamide with brass insert — VTLF


- ***Operating element***
- *Materials:*
  - *Black polyamide*
  - *Brass insert*


Improved tightening



Advantages


- *Highly resistant, increased tightening force*
- *Suitable for all hand sizes*
- *Can be used outside*







Blind tapped brass insert



Through tapped brass insert

DISCOUNTS

Qty	1+	10+	20+	50+	100+	200+
Disc.	List	-5%	-10%	-15%	-20%	On request

Part number	ØD	ØA	ØB	C	F	E	Weight (g)	Stock*	Price each 1 to 9
Blind tapped brass insert									
VTLFB6-45	M6	45	18	27	16	14	13,8	✔	2,95 €
VTLFB8-45	M8	45	18	27	16	14	15,6	✔	3,07 €
VTLFB10-45	M10	45	18	27	16	14	17,2	-	3,40 €
VTLFB8-55	M8	55	20	33	19	14	22,8	-	3,45 €
VTLFB10-55	M10	55	20	33	19	14	23,4	✔	3,78 €
VTLFB12-55	M12	55	20	33	19	14	25,6	✔	4,06 €
Through tapped brass insert									
VTLF6-45	M6	45	18	27	16	14	12,4	-	3,45 €
VTLF8-45	M8	45	18	27	16	14	13,2	✔	3,40 €
VTLF10-45	M10	45	18	27	16	14	13,2	✔	3,74 €
VTLF8-55	M8	55	20	33	19	14	18,2	-	3,74 €
VTLF10-55	M10	55	20	33	19	14	19,2	✔	3,86 €
VTLF12-55	M12	55	20	33	19	14	19,8	✔	4,22 €


**Depending on availability - Dimensions in mm*

Three-lobe knob

VTLB


Thermoplastic


- ***Operating element***
- *Insert with tapped through hole*
- *Working T° range -30°C to +130°C*
- *Materials*
  - *Black polyamide PA6 noir glass fiber reinforced*
  - *Brass or stainless steel 303 insert*



Advantages

Handwheel size up to 100mm diameter provides excellent grip and clamping force





DISCOUNT

Qty	1+	10+	20+	50+	100+
Disc.	List	-5%	-10%	-15%	On request

Part number Brass insert	Stainless steel insert	ØA	ØB	C	ØD	E	H	ØD1	ØK	Weight (g)	Stock* Brass	Stock* Stainless steel	Price each 1 à 9 Brass	Price each 1 à 9 Stainless steel
VTLB8-63	VTLB8-63/SS	63	21	21	M8	18,5	30	12,5	Ø15	30	-	-	7,34 €	13,08 €
VTLB10-63	-	63	21	21	M10	18,5	30	12,5	Ø15	34	-		7,59 €	
VTLB10-80	VTLB10-80/SS	80	26	23	M10	25	35	13	Ø20	59	-	-	8,93 €	13,36 €
VTLB12-80	-	80	26	23	M12	25	35	13	Ø20	61	-		9,69 €	
VTLB12-100	VTLB12-100/SS	100	30	25	M12	25	38	17	Ø25	87	-	-	12,57 €	18,17 €
VTLB14-100	-	100	30	25	M14	25	38	17	Ø25	89	-		13,61 €	

**Depending on availability - Dimensions in mm*

Altri prodotti...


SCE

Serracavo, Acciaio


CHAPAMss

Cerniera a testa piatta a saldare, Inox o Alluminio


PSG3S

Ingranaggio dritto di precisione, Inox 303


PHTss

Maniglia a ponte, Fino a 250°C


G0

Ingranaggio dritto acciaio, Acciaio 20NCD2


M0

Vite senza fine , Acciaio temprato


BAC105

Contenitore a becco, 8mm


ADSR

Giunto senza gioco Gerwah®, da 12.5 a 525Nm


PSG15

Ingranaggio dritto di precisione, Acciaio


CHTRP

Riduttore a rinvio angolare a L o a T,


PR105

Piede fissabile con snodo - poliammide, Ø


CHA35

Cerniera ad avvitare, Cerniera

Prodotti correlati


VTLF

Volantino a 3 lobi, Poliammide - Ottone


VTLF

Volantino a 3 lobi, Poliammide - Ottone


GLP

Volantino a 6 lobi, Tecnopolimero - Acciaio


VB

Volantino a 6 lobi, Duroplast - Ottone